

# e Class of 20 Katrina I

 **D.** *Ph.D., University of Victoria, 2006; M.S., University of Victoria, 2000.*

**esis: Changes in Extreme Hydroclimate Events in Interior Alaska Boreal Forest Watersheds**

Extreme hydroclimate events in the boreal forest of Interior Alaska have changed in the past and are projected to change in the future. Statistical modeling tools indicate shifting hydrologic regimes from snowmelt toward rainfall-dominated systems. These changes will increase risk to society and the boreal forest environment.

**Major Professor: Dr. Larry Hinzman**

**Charles Edward Jones Jr. \*\***

 **D.** *Ph.D., Northern Arizona University, 2003; M.S., Northern Arizona University, 1998; A.S., Sauk Valley Community College, 1993.*

**esis: The Integrated Hydrologic and Societal Impacts of a Warming Climate in Interior Alaska**

Hydrological changes in Alaska associated with climate were examined using

**Lin Li**

✉ **D. E. C. E.**  
M.S., University of Alaska Fairbanks, 2010; B.E., Chang'an University, 2004.



**Jacqueline Marie Rahm \*\***

☒ **D.**

*M.A., University of Alaska Fairbanks, 1995; B.A., Allegheny College, 1987.*

**esis: Deconstructing the Western Worldview: Toward the Repatriation and Indigenization of Wellness**

rough indigenous frameworks and methodologies, this research explores fundamental similarities between pre-Socratic and indigenous epistemologies. It examines historical forces that since shaped Western thought as it diverged and has impacted American indigenous peoples. It suggests the critical need for shi ing the dominant paradigm toward an original congruity with indigenous worldviews.

**Major Professor: Dr. Michael Koskey**

# College of Natural Science and Mathematics

*Dr. Paul W. Layer, Dean*

**Benjamin Walter Abbott \*\***

☒ **D.**

*B.S., Utah State University, 2009.*

**esis: Permafrost in a Warmer World: Net Ecosystem Carbon Imbalance**

is study investigated the e ects of climate change on ecosystem caoon balance in the permafrost region. Permafrost thaw caused substantial hydrologic and gaseous caoon loss. However, results suggest that three-quaa ters of permafrost caoon release could be avoided if human g aeenhouse gas emissions aae actively reduced before the end of the century.

**Major Professor: Dr. Gary Jones Jr**

**Andrew Wentwor th Balsler**

☒ **D.**

*M.S., University of Alaska Fairbanks, 1996; B.A., Middlebury College, 1993.*



## **Christo Gregory Furin \***

☒.D. B.S., University of Alaska Anchorage, 2006; B.S., Western Washington University, 2000.

*M.S., University of Alaska Anchorage, 2006; B.S., Western Washington University, 2000.*

### **esis: Perchlorate Toxicity in Fish: Trophic Transfer, Developmental Windows, and Histological Biomarkers**

Chemical, histological, morphological, and reproductive endpoints were used to study the bioaccumulation of and toxicodynamics and morphological changes caused by perchlorate exposure to threespine stickleback (*Gasterosteus aculeatus*) and northern pike (*Esox lucius*), particularly during early development, in order to understand when this endocrine disruptor has its greatest effects on fish.

**Major Professors: Dr. Todd O'Hara and Dr. Frank von Hippel**

## **Cristina M. Hansen**

☒.D. B.S., University of Illinois at Urbana, 2003.

*B.S., University of Illinois at Urbana, 2003.*

### **esis: Novel Methods of Disease Surveillance in Wildlife**

Disease agents in wildlife impact human health, and accurate research, monitoring, and diagnostic methods are necessary. Methods for bacterial disease agent and mercury surveillance were developed using wildlife tissue samples, and an investigation of avian embryo mortality was conducted using one of these methods.

**Major Professor: Dr. Karsten Hueber**

## **Susmita Hazra**

☒.D. M.S., Gauhati University, 2005; B.S., Gauhati University, 2002.

*M.S., Gauhati University, 2005; B.S., Gauhati University, 2002.*

### **esis: Variation of Electron and Ion Density Distribution Along Earth's Magnetic Field Line Deduced from Whistler Mode (Wm) Sounding of Image/RPI Satellite Below Altitude 5000 Km**

This research effort provides a methodology to dynamically generate context-appropriate honeynets. The honeynet conforms to the target environment using passive or increasing degrees of active scanning. The gathered information aids the administrator in creating a network topology and understanding the flux of devices in the network.

**Major Professor: Dr. Martin Truher**

## **Rebecca Eliza Hewitt \***

☒.D. B.A., Middlebury College, 2005.

*B.A., Middlebury College, 2005.*

### **esis: Fire-Severity Effects on Plant-Fungal Interactions: Implications for Alaskan Treeline Dynamics in a Warming Climate**

Major sources of uncertainty in predicting treeline advance are the controls over treeline seedling establishment with climate warming and associated wildfire activity. This study found that, at treeline and in tundra, wildfire severity influenced symbiotic fungal communities, and persistence of critical mycobionts after wildfire facilitated treeline seedling establishment.

**Major Professors: Dr. Teresa Hollingsworth and Dr. F. Stuart "Terry" Chapin III**

\* Summer degree recipient

\*\* December degree recipient







**Peter K. Peterson**

Ph.D. E

# College of Rural and Community Development

*Mr. Evon Peter, Vice Chancellor*

**Norma Ann Shorty**

**\* D.**

*M.Ed., University of Hawaii at Manoa, 2004; B.Ed., University of Regina, 1998.*

**esis: Inland Tlingit of Teslin, Yukon: G**

**Sean Reiss Brennan \***

**Ph.D.**

*B.S., University of Utah, 2007.*

**esis: Using Strontium Isotopes to Track Pacific Salmon Migrations in Alaska**

Alaska is geographically vast, geologically diverse, and home to abundant runs of Pacific salmon. Strontium isotope variation is driven by geologic heterogeneity. This work showed how, in geologically diverse habitats, strontium isotopes recorded in salmon otoliths could apportion fishery harvests to the sub-basin level of salmon biodiversity and elucidate freshwater movements.

Maj 04) -1.5(04) 72. (o) 5. (w) s0.3(y) -3830 0 90.0. (9) - (6) 0. (z) -188) -13. (t) -22. (3 t) - (o t) -3-

**Vanessa Rebeca von Biela**

✉ **D.**

*M.S., University of Alaska Anchorage, 2007; B.S., University of California Santa Barbara, 2004.*

**thesis: Examining Sources of Primary Production and Bottom-Up Limitations in Nearshore Ecosystems of the Northeast Pacific Ocean Using Fish-Based Indicators**

is dissertation examines the energy pathways and oceanographic influences in nearshore kelp forests. Stable isotope analysis indicated the importance of kelp in nearshore food webs. The width of annual growth rings in fish ear bones were correlated with local oceanography and revealed which conditions were associated with faster fish growth.

**Major Professor: Dr. Gordon Kruse**

**Shiway Wei Wang \***

---

\* Summer degree recipient

\*\* December degree recipient

# School of Natural Resources and Extension

*Dr. Stephen D. Sparrow, Interim Dean*

## **Watcharee Ruairuen**

Ph.D. *University of Alaska Fairbanks, 2006*  
*M.S., Walailak University, 2006; B.S., Walailak University, 2002.*

### **thesis: Evapotranspiration in a Subarctic Agroecosystem: Field Measurements, Modeling and Sustainability Perspectives**

Surface energetics is central to understanding vulnerabilities of Alaska agriculture to climate change. Numerical and experimental methods were used to integrate data from disparate sources. Evapotranspiration was found to represent a large portion of 320 re Sias1.2(f A3TME7tis)-20oW8(s)-16.5(e)71 sonn1 i2(-28.7(s)2i28.5(m)-11.ME7ti